This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.






Figure 2A





Figure 2B



CH-S (25x)



CH-Ad5-Kv1.5 (25x)

Figure 3A

GFP



Figure 3B




Figure 3C




Figure 4A




Figure 4B






Figure 4C








Figure 7A




Figure 7B




Figure 7C




Figure 7D




Figure 7E




Figure 8A




Figure 8B




Figure 9A




Figure 9B




Figure 9C




Figure 9D




Figure 9E





Figure 9F






Figure 10B

DA Rings




Figure 11A

Hypoxic DASMC

DA SMCs

Hypoxia + KCL

Normoxia + KCL

Figure 11B




Figure 11C





Figure 11D






Figure 12A




Figure 12B




Figure 12C




Figure 12D




Figure 12E




Figure 13A




Figure 13B




Figure 13C




Figure 14A




Figure 14B




Figure 14C





Figure 14D



Vasoconstriction

Figure 14E